



```

    background-color: pink;
  }

.a {
  position: absolute;
  top: 500px;
}
.b {
  position: absolute;
  top: 540px;
}
</style>
</head>
<body>
<h1>Welcome to My Page</h1>
<h2>Ringtone:</h2>
<p class="a1">
<audio src="Ringtone.mp3" controls autoplay="autoplay" loop>
</audio>
</p>
<p class="a"><a href="audio1.html">click here 2 page</a></p>
<P class="b"><a href="index.html">Go back</a></P>
</body>
</html>

```

Output:



Audio1.html

Html code :

```
<!DOCTYPE html>
<html>
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>optional audio source</title>
<style>
h1 {
  color:maroon;
  text-align:center;
  display:block;
  background-color:pink;
}

.a1 {
  position:absolute;
  top:140px;
}

h2 {
  position:absolute;
  top:50px;
  display:inline-block;
  background-color:pink;
}

h3 {
  position:absolute;
  top:100px;
}

.link {
  position:absolute;
  top:500px;
}
</style>
</head>
<body>
<h1>welcome to my page</h1>
<h2>Ringtone:</h2>
<h3>Click to downlod: <input type="submit" value="Downlod"></h3>
<p class="a1">
```

```
<audio controls loop autoplay="autoplay">
<source src="Ringtone.mp3" type="audio/mp3">
<source src="Ringtone.ogg" type="audio/ogg">
</audio>
</p>
<p class="link"><a href="audio.html">Go back</a></p>
</body>
</html>
```

Output:

